



Date	October 2025
------	--------------

Nursery Activities:
Family Space (cloakroom)

Activity	Hazards	Potential Loss	Risk	Person at Risk	Control Measures	Additional Measures
Tables, Chairs & Units	Falling over Jammed fingers	Bumps Bruises Sores Cuts	3 (2x1)	Staff Children Visitors	Round edged furniture Chairs tucked in under tables Anti-tilt legged chairs	Ongoing monitoring
Doors	Trips Falls Jammed fingers Flight risk	Bumps Bruises Sore fingers Missing children	2 (1x2)	Children Visitors	Staff supervision Locked doors where appropriate Appropriate adult: child ratio when using the corridor	Ongoing monitoring Awareness of appropriate behaviours when in corridor
Toys & Resources	Swallowing Placed in body orgins	Choking Lodged items Death	2 (1x2)	Children Visitors	Staff supervision	Ongoing monitoring



Auchinairn Early Years Centre Health & Safety Risk Assessment

					Awareness of appropriate resource use	
Computer/laptops/ipads	Plug points Electric shock Strangling on wires	Death	2 (1x2)	Staff Children Visitors	Staff supervision Yearly PAC testing Staff only to plug in devices	Ongoing monitoring
Plugs/Sockets	Electric shock	Death	2 (1x2)	Staff Children Visitors	Staff supervision Yearly PAC testing Staff only to plug in devices	Ongoing monitoring
Instant boiling water tap	Scolding Burns Electric shock	Scold Skin scaring Death	2 (1x2)	Staff Children Visitors	Staff supervision No hot drinks when children present Yearly PAC testing	Ongoing monitoring

	Likelihood that hazardous events will occur		Consequences	Risk rating	Action
1	very unlikely	1	insignificant – no injury	20-25	Stop – stop activity and take immediate action
2	unlikely	2	minor – minor injuries needing first aid	15-16	Urgent action – take immediate action and stop activity if



Auchinairn Early Years Centre Health & Safety Risk Assessment

					necessary, maintain existing controls rigorously
3	fairly likely	3	moderate – up to three days absence	8-12	Action – improve within specified timescale
4	likely	4	major – more than seven days absence	3-6	Monitor – look to improve at next review or if there is a significant change
5	Very likely	5	catastrophic - death	1-2	No action – no further action but ensure controls are maintained and reviewed